	Application No.	Applicant(s)
Notice of Allowability	10/801,871	CHANDHOK ET AL.
	Examiner	Art Unit
	R. Stephen Dildine	2133
	R. Stephen Dildine	2133
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	(OR REMAINS) CLOSED in) or other appropriate commu RIGHTS. This application is s	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-55</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☐ None of the:		or (f).
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 		
2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Inf	formal Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/	Paper No./	Mail Date Amendment/Comment
Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's 9. □ Other	Statement of Reasons for Allowance
	9. 🗀 Oulei	
		R. Stephen Dildine Primary Examiner Art Unit: 2133

Application/Control Number: 10/801,871

Art Unit: 2133

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Katayama (2005/0125549) states in paragraph [0039] "One embodiment of the information processing apparatus according to the present invention is characterized in that the data for determination is a probability value as a rule deciding condition descriptor included in a data processing request, and the rule decision processing unit is configured to execute random number generation processing, and to execute determining processing for determining whether or not the processing according to a processing request is to be executed according to a result of comparison between a generated random number and the probability value" and in paragraph [0060] "and determines whether or not the processing according to the processing request is to be executed according to a result of comparison between a generated random number and the probability value". In other words, Katayama teaches deciding whether or not to do a data processing request in a distributed data processor based upon a comparison of a locally generated random number with a probability value. Nonnemacher *et al.* teaches, in a multicast communication, a probabilistic feedback of NAK signals from all receivers based on timers.

Claims 1-55 are allowed.

The following is an examiner's statement of reasons for allowance: none of the cited references teach or fairly suggest comparing a locally generated random value with a value transmitted from a server (termed "an acknowledgement value" in applicants' claims) and then using the result to decide whether or not to send an ACK (or NACK) (termed "an acknowledgement signal" in applicants' claims) as is recited in applicants' independent claims 1, 9, 17, 25, 33, 37, 41, 45 and 49. Further, the "computer-readable media" recited in claims 25-32 and 45-48, by the examples given in the specification, do not include non-statutory subject matter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to R. Stephen Dildine whose telephone number is (571) 272-3820. The examiner can normally be reached on M - F 5:30 am to 2:00 pm.

Art Unit: 2133

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

R. Stephen Dildine

R. Stop Deldine

R. Stephen Dildine Primary Examiner Art Unit 2133